

Analytical Test Report

|                                                             |                                 |                         |                                                                                                  |
|-------------------------------------------------------------|---------------------------------|-------------------------|--------------------------------------------------------------------------------------------------|
| Client:<br>Bohemia Manufacturer, Inc.<br>OCM-PROC-24-000098 | Final Report                    | MCR-S25-01281 Rev.01.00 | Laboratory:<br>MCR Labs<br>Julian England<br>315-541-4202<br>800 Broad Street<br>Utica, NY 13501 |
|                                                             | Report Date                     | 7/31/2025               |                                                                                                  |
|                                                             | Lab Permit                      | OCM-CPL-2022-00008      |                                                                                                  |
|                                                             | Sample Collection Site          | Brooklyn, NY            |                                                                                                  |
|                                                             | Sample Collection Date and Time | 7/25/2025 12:00         |                                                                                                  |

| Sample ID # | Sample Name          | Matrix | Sample Type | Date Received |
|-------------|----------------------|--------|-------------|---------------|
| S25-01281   | Peanut Butter Cup 04 | CIP    | Adult Use   | 7/25/2025     |

| Lot #        | Lot Size (units) | Number of Units Recieved | Serving Size (g) |
|--------------|------------------|--------------------------|------------------|
| PBC04J250725 | 500              | 2                        | 10.5             |

The test results presented in this report are accurate, complete, and compliant with the MCR Labs quality control criteria.

Authorization



Julian England  
Lead Technical Director

Case Narrative

These results apply only to the items tested, as sampled according to CORP-SOP-NY-20, by MCR Labs New York. Quality control sample recovered outside tolerance limits, demonstrating a potentially high bias. Results below limits of quantitation are still considered valid.

This report and all information herein shall not be reproduced, except in its entirety, without the expressed consent of MCR Labs. Results apply only to the sample supplied to MCR Labs.

Requested Testing

| Test                      | Code | Procedure          | Analytes Tested                                                                                                                                                                                                                                                                                                                                                         | Disposition |
|---------------------------|------|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| Cannabinoid Profile       | CN   | TM-NY-7            | CBC, CBD, CBDA, CBDV, CBG, CBGA, CBN, Δ8-THC, Δ9-THC, (6aR,9S)-10-THC, (6aS,9S)-10-THC, THCV, THCVA                                                                                                                                                                                                                                                                     | N/A         |
| Water Activity            | WA   | TM-NY-10           | Water Activity                                                                                                                                                                                                                                                                                                                                                          | Pass        |
| Heavy Metals Screen       | HM   | TM-NY-5            | Arsenic (As), Cadmium (Cd), Mercury (Hg), Lead (Pb), Chromium (Cr), Copper (Cu), Nickel (Ni), Antimony (Sb)                                                                                                                                                                                                                                                             | Pass        |
| Mycotoxins Screen         | MY   | TM-NY-6            | Aflatoxin B1, Aflatoxin B2, Aflatoxin G1, Aflatoxin G2, Total Aflatoxins, Ochratoxin A                                                                                                                                                                                                                                                                                  | Pass        |
| Microbiological Screen    | MB   | TM-NY-3<br>TM-NY-8 | Total Viable Aerobic Bacteria, Total Yeast and Mold, STEC, Salmonella, Aspergillus                                                                                                                                                                                                                                                                                      | Pass        |
| Residuals Solvents Screen | RS   | TM-NY-4            | Residual solvents as required by OCM                                                                                                                                                                                                                                                                                                                                    | Pass        |
| Terpene Profile           | TP   | TM-NY-12           | α-Pinene, Camphene, β-Myrcene, β-Pinene, Δ-3-Carene, α-Terpinene, cis-β-Ocimene, D-Limonene, p-Cymene, trans-β-Ocimene, Eucalyptol, γ-Terpinene, Terpinolene, Linalool, Isopulegol, Geraniol, β-Caryophyllene, α-Humulene, cis-Nerolidol, trans-Nerolidol, Guaiol, Caryophyllene Oxide, α-Bisabolol, α-Terpineol, Fenchol, Valencene, α-Phellandrene, trans-β-Farnesene | N/A         |
| Pesticides Screen         | PS   | TM-NY-6            | Pesticides as required by OCM                                                                                                                                                                                                                                                                                                                                           | Pass        |

|                                      |             |                            |
|--------------------------------------|-------------|----------------------------|
| <b>Cannabinoid Profile [TM-NY-7]</b> | Analyst: TC | Test Date: 7/27/2025 13:20 |
|--------------------------------------|-------------|----------------------------|

Table 1 - S25-01281 Peanut Butter Cup 04 CIP Cannabinoid Testing

| Analyte  | Cannabinoid                 | Conc.<br>(mg/serving size) | Conc.<br>(mg/g) | LOD<br>(mg/g) | LOQ<br>(mg/g) |
|----------|-----------------------------|----------------------------|-----------------|---------------|---------------|
| CBC      | Cannabichromene             | <LOQ                       | <LOQ            | 0.00816       | 0.04000       |
| CBD      | Cannabidiol                 | ND                         | ND              | 0.00784       | 0.04000       |
| CBDA     | Cannabidiolic Acid          | ND                         | ND              | 0.01052       | 0.04000       |
| CBDV     | Cannabidivarin              | ND                         | ND              | 0.01108       | 0.04000       |
| CBG      | Cannabigerol                | 0.632                      | 0.0602          | 0.01688       | 0.04000       |
| CBGA     | Cannabigerolic Acid         | ND                         | ND              | 0.00820       | 0.04000       |
| CBN      | Cannabinol                  | <LOQ                       | <LOQ            | 0.00780       | 0.04000       |
| Δ8-THC   | Δ8-Tetrahydrocannabinol     | ND                         | ND              | 0.02620       | 0.04000       |
| Δ9-THC   | Δ9-Tetrahydrocannabinol     | 10.9                       | 1.04            | 0.01428       | 0.04000       |
| Δ10R-THC | Δ10R-Tetrahydrocannabinol   | ND                         | ND              | 0.00752       | 0.04000       |
| Δ10S-THC | Δ10S-Tetrahydrocannabinol   | ND                         | ND              | 0.01064       | 0.04000       |
| THCV     | Tetrahydrocannabivarin      | ND                         | ND              | 0.01216       | 0.04000       |
| THCA     | Tetryhydrocannabinolic Acid | ND                         | ND              | 0.00828       | 0.04000       |

|                                                |      |      |     |     |
|------------------------------------------------|------|------|-----|-----|
| Total Active Cannabinoids (sum of above table) | 11.5 | 1.10 | N/A | N/A |
| Total THC = THC + (THCA * 0.877)               | 10.9 | 1.04 | N/A | N/A |
| Total CBD = CBD + (CBDA * 0.877)               | ND   | ND   | N/A | N/A |

Note: There are no limits established by the New York Office of Cannabis Management for cannabinoid concentrations.  
ND = Not Detected; LOQ = Limit of Quantitation; LOD = Limit of Detection.  
Δ10R-THC = (6aR,9S)-10-THC; Δ10S-THC = (6aS,9S)-10-THC

|                                  |             |                            |
|----------------------------------|-------------|----------------------------|
| <b>Water Activity [TM-NY-10]</b> | Analyst: BS | Test Date: 7/26/2025 15:00 |
|----------------------------------|-------------|----------------------------|

Table 2 - S25-01281 Peanut Butter Cup 04 CIP Water Activity Testing

| Test Analysis  | Result | Limits | Disposition |
|----------------|--------|--------|-------------|
| Water Activity | 0.2941 | ≤ 0.85 | Pass        |

Note: Testing limits are based on the limits set forth by the New York Office of Cannabis Management pursuant to 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. Measurement uncertainty is not factored in the disposition.  
ND = Not Detected.

|                               |             |                            |
|-------------------------------|-------------|----------------------------|
| Heavy Metals Screen [TM-NY-5] | Analyst: BS | Test Date: 7/26/2025 13:33 |
|-------------------------------|-------------|----------------------------|

Table 3 - S25-01281 Peanut Butter Cup 04 CIP Heavy Metals Testing

| Test Analysis | Result (µg/g) | LOD (µg/g) | LOQ (µg/g) | Limits (µg/g) | Disposition |
|---------------|---------------|------------|------------|---------------|-------------|
| Arsenic       | <LOQ          | 0.007      | 0.04       | 1.5           | Pass        |
| Cadmium       | 0.07          | 0.017      | 0.05       | 0.5           | Pass        |
| Mercury       | ND            | 0.020      | 0.04       | 3             | Pass        |
| Lead          | <LOQ          | 0.007      | 0.09       | 0.5           | Pass        |
| Chromium      | ND            | 0.645      | 20.00      | 1100          | Pass        |
| Copper        | 6.52          | 0.208      | 5.45       | 300           | Pass        |
| Nickel        | 1.61          | 0.163      | 0.36       | 20            | Pass        |
| Antimony      | ND            | 0.019      | 0.36       | 120           | Pass        |

Note: Testing limits are based on the limits set forth by the New York Office of Cannabis Management pursuant to 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law.  
ND = Not Detected; LOD = Limit of Detection; LOQ = Limit of Quantitation.

|                             |             |                              |
|-----------------------------|-------------|------------------------------|
| Mycotoxins Screen [TM-NY-6] | Analyst: JE | Test Date: 7/26/2025 1:03 PM |
|-----------------------------|-------------|------------------------------|

Table 4 - S25-01281 Peanut Butter Cup 04 CIP Mycotoxins Testing

| Analyte          | Result (µg/g) | LOD (µg/g) | LOQ (µg/g) | Limits (µg/g) | Disposition |
|------------------|---------------|------------|------------|---------------|-------------|
| Aflatoxin B1     | ND            | 0.0025     | 0.005      | N/A           | N/A         |
| Aflatoxin B2     | ND            | 0.0010     | 0.005      | N/A           | N/A         |
| Aflatoxin G1     | ND            | 0.0015     | 0.005      | N/A           | N/A         |
| Aflatoxin G2     | ND            | 0.0042     | 0.005      | N/A           | N/A         |
| Total Aflatoxins | ND            | N/A        | N/A        | 0.02          | Pass        |
| Ochratoxin A     | ND            | 0.0030     | 0.010      | 0.02          | Pass        |

Note: Testing limits are based on the limits set forth by the New York Office of Cannabis Management pursuant to 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law.  
ND = Not Detected; LOD = Limit of Detection; LOQ = Limit of Quantitation.

|                                  |             |                            |
|----------------------------------|-------------|----------------------------|
| Microbiological Screen [TM-NY-3] | Analyst: TC | Test Date: 7/26/2025 11:12 |
|----------------------------------|-------------|----------------------------|

Table 5 - S25-01281 Peanut Butter Cup 04 CIP Microbiological Testing

| Test Analysis                 | Result | Unit  | LOQ       | Limits | Disposition |
|-------------------------------|--------|-------|-----------|--------|-------------|
| Total Viable Aerobic Bacteria | 100    | CFU/g | 100 CFU/g | 10000  | Pass        |
| Total Yeast and Mold          | <100   | CFU/g | 100 CFU/g | 1000   | Pass        |

Note: Testing limits are based on the limits set forth by the New York Office of Cannabis Management pursuant to 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law.  
CFU = Colony Forming Unit; LOQ = Limit of Quantitation.

Microbiological Screen [TM-NY-8]

Analyst: TC/JE

Test Date: 7/26/2025 11:12

Table 6 - S25-01281 Peanut Butter Cup 04 CIP Microbiological Testing

| Test Analysis | Result   | Unit | LOQ     | Limits             | Disposition |
|---------------|----------|------|---------|--------------------|-------------|
| STEC          | Negative | N/A  | 1 CFU/g | Not detected in 1g | Pass        |
| Salmonella    | Negative | N/A  | 1 CFU/g | Not detected in 1g | Pass        |
| Aspergillus   | Negative | N/A  | 1 CFU/g | Not detected in 1g | Pass        |

Note: Testing limits are based on the limits set forth by the New York Office of Cannabis Management pursuant to 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law.  
STEC = Shiga Toxin producing E. coli; CFU = Colony Forming Unit; LOQ = Limit of Quantitation.

Residual Solvents Screen [TM-NY-4]

Analyst: JE

Test Date: 7/26/2025 14:00

Table 7 - S25-01281 Peanut Butter Cup 04 CIP Residual Solvents Testing

| Analyte                   | Result (ppm) | LOD (ppm) | LOQ (ppm) | Limits (ppm) | Disposition |
|---------------------------|--------------|-----------|-----------|--------------|-------------|
| Acetone                   | ND           | 236.8     | 2000.0    | 5000         | Pass        |
| Acetonitrile              | ND           | 23.4      | 164.0     | 410          | Pass        |
| Benzene                   | ND           | 0.3       | 0.8       | 2            | Pass        |
| Chloroform                | ND           | 2.6       | 24.0      | 60           | Pass        |
| 1,2-Dichloroethane        | ND           | 0.3       | 2.0       | 5            | Pass        |
| Diethyl ether             | ND           | 216.8     | 2000.0    | 5000         | Pass        |
| Dimethyl sulfoxide        | ND           | 166.4     | 2000.0    | 5000         | Pass        |
| Ethanol                   | ND           | 244.0     | 2000.0    | 5000         | Pass        |
| Ethyl acetate             | ND           | 202.4     | 2000.0    | 5000         | Pass        |
| Heptane                   | ND           | 187.6     | 2000.0    | 5000         | Pass        |
| Isopropyl Alcohol         | ND           | 212.4     | 2000.0    | 5000         | Pass        |
| Methanol                  | ND           | 174.4     | 1200.0    | 3000         | Pass        |
| Methylene Chloride        | ND           | 25.9      | 240.0     | 600          | Pass        |
| Propane                   | ND           | 88.4      | 1000.0    | 5000         | Pass        |
| 1,1,1,2-Tetrafluoroethane | ND           | 123.6     | 400.0     | 1000         | Pass        |
| Toluene                   | ND           | 32.7      | 356.0     | 890          | Pass        |
| 1,1,1-Trichloroethane     | ND           | 59.2      | 600.0     | 1500         | Pass        |
| Total Butanes             | ND           | 108.8     | 1000.0    | 5000         | Pass        |
| Total Hexanes             | ND           | 10.0      | 116.0     | 290          | Pass        |
| Total Pentanes            | ND           | 124.4     | 1000.0    | 5000         | Pass        |
| Total Xylenes             | ND           | 86.4      | 868.0     | 2170         | Pass        |

Note: Testing limits are based on the limits set forth by the New York Office of Cannabis Management pursuant to 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law.  
ND = Not Detected; LOD = Limit of Detection; LOQ = Limit of Quantitation; ppm = Parts Per Million.

|                            |             |                              |
|----------------------------|-------------|------------------------------|
| Terpene Profile [TM-NY-12] | Analyst: JE | Test Date: 7/27/2025 7:45 AM |
|----------------------------|-------------|------------------------------|

Table 8 - S25-01281 Peanut Butter Cup 04 CIP Terpene Testing

| Analyte             | Result (weight %) | Result (ppm) | LOD (weight %) | LOD (ppm) | LOQ (weight %) | LOQ (ppm) |
|---------------------|-------------------|--------------|----------------|-----------|----------------|-----------|
| α-Pinene            | ND                | ND           | 0.0050         | 50        | 0.0241         | 241       |
| Camphene            | ND                | ND           | 0.0043         | 43        | 0.0241         | 241       |
| β-Myrcene           | ND                | ND           | 0.0040         | 40        | 0.0241         | 241       |
| β-Pinene            | ND                | ND           | 0.0039         | 39        | 0.0241         | 241       |
| Δ-3-Carene          | ND                | ND           | 0.0040         | 40        | 0.0241         | 241       |
| α-Terpinene         | ND                | ND           | 0.0042         | 42        | 0.0241         | 241       |
| cis-β-Ocimene       | ND                | ND           | 0.0011         | 11        | 0.0060         | 60        |
| D-Limonene          | ND                | ND           | 0.0042         | 42        | 0.0241         | 241       |
| p-Cymene            | ND                | ND           | 0.0048         | 48        | 0.0241         | 241       |
| trans-β-Ocimene     | ND                | ND           | 0.0036         | 36        | 0.0181         | 181       |
| Eucalyptol          | ND                | ND           | 0.0042         | 42        | 0.0241         | 241       |
| γ-Terpinene         | ND                | ND           | 0.0042         | 42        | 0.0241         | 241       |
| Terpinolene         | ND                | ND           | 0.0042         | 42        | 0.0241         | 241       |
| Linalool            | ND                | ND           | 0.0042         | 42        | 0.0241         | 241       |
| Isopulegol          | ND                | ND           | 0.0049         | 49        | 0.0241         | 241       |
| Geraniol            | ND                | ND           | 0.0053         | 53        | 0.0241         | 241       |
| β-Caryophyllene     | ND                | ND           | 0.0050         | 50        | 0.0241         | 241       |
| α-Humulene          | ND                | ND           | 0.0046         | 46        | 0.0241         | 241       |
| cis-Nerolidol       | ND                | ND           | 0.0023         | 23        | 0.0104         | 104       |
| trans-Nerolidol     | ND                | ND           | 0.0062         | 62        | 0.0241         | 241       |
| Guaiol              | ND                | ND           | 0.0041         | 41        | 0.0241         | 241       |
| Caryophyllene Oxide | ND                | ND           | 0.0053         | 53        | 0.0241         | 241       |
| α-Bisabolol         | ND                | ND           | 0.0049         | 49        | 0.0241         | 241       |
| α-Terpineol         | ND                | ND           | 0.0025         | 25        | 0.0241         | 241       |
| Fenchol             | ND                | ND           | 0.0012         | 12        | 0.0241         | 241       |
| Valencene           | ND                | ND           | 0.0040         | 40        | 0.0241         | 241       |
| α-Phellandrene      | ND                | ND           | 0.0088         | 88        | 0.0241         | 241       |
| trans-β-Farnesene   | ND                | ND           | 0.0118         | 118       | 0.0241         | 241       |

|                | Result (weight %) | Limit (weight %) | Disposition |
|----------------|-------------------|------------------|-------------|
| Total Terpenes | 0.0000            | N/A              | N/A         |

Note: Testing limits are based on the limits set forth by the New York Office of Cannabis Management pursuant to 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law.  
ND = Not Detected; LOD = Limit of Detection; LOQ = Limit of Quantitation.

|                                    |             |                              |
|------------------------------------|-------------|------------------------------|
| <b>Pesticides Screen [TM-NY-6]</b> | Analyst: JE | Test Date: 7/27/2025 1:03 PM |
|------------------------------------|-------------|------------------------------|

Table 9 - S25-01281 Peanut Butter Cup 04 CIP Pesticides Testing

| Analyte              | Result (ppm) | LOD (ppm) | LOQ (ppm) | Limits (ppm) | Disposition |
|----------------------|--------------|-----------|-----------|--------------|-------------|
| Abamectin            | ND           | 0.023     | 0.200     | 0.5          | Pass        |
| Acephate             | ND           | 0.042     | 0.200     | 0.4          | Pass        |
| Acequinocyl          | ND           | 0.034     | 0.200     | 2.0          | Pass        |
| Acetamiprid          | ND           | 0.036     | 0.160     | 0.2          | Pass        |
| Aldicarb             | ND           | 0.022     | 0.200     | 0.4          | Pass        |
| Azadirachtin         | ND           | 0.055     | 0.200     | 1.0          | Pass        |
| Azoxystrobin         | ND           | 0.109     | 0.100     | 0.2          | Pass        |
| Bifenazate           | ND           | 0.008     | 0.160     | 0.2          | Pass        |
| Bifenthrin           | ND           | 0.041     | 0.100     | 0.2          | Pass        |
| Boscalid             | ND           | 0.032     | 0.200     | 0.4          | Pass        |
| Captan               | ND           | 0.037     | 0.200     | 1.0          | Pass        |
| Carbaryl             | ND           | 0.063     | 0.160     | 0.2          | Pass        |
| Carbofuran           | ND           | 0.033     | 0.160     | 0.2          | Pass        |
| Chlorantraniliprole  | ND           | 0.008     | 0.190     | 0.2          | Pass        |
| Chlordane            | ND           | 0.083     | 0.200     | 1.0          | Pass        |
| Chlorfenapyr         | ND           | 0.134     | 0.500     | 1.0          | Pass        |
| Chlormequat chloride | ND           | 0.068     | 0.200     | 1.0          | Pass        |
| Chlorpyrifos         | ND           | 0.005     | 0.160     | 0.2          | Pass        |
| Clofentezine         | ND           | 0.016     | 0.100     | 0.2          | Pass        |
| Coumaphos            | ND           | 0.019     | 0.200     | 1.0          | Pass        |
| Cyfluthrin           | ND           | 0.132     | 0.500     | 1.0          | Pass        |
| Cypermethrin         | ND           | 0.254     | 0.500     | 1.0          | Pass        |
| Daminozide           | ND           | 0.049     | 0.200     | 1.0          | Pass        |
| Diazinon             | ND           | 0.022     | 0.100     | 0.2          | Pass        |
| Dichlorvos           | ND           | 0.032     | 0.200     | 1.0          | Pass        |
| Dimethoate           | ND           | 0.108     | 0.160     | 0.2          | Pass        |
| Dimethomorph         | ND           | 0.007     | 0.200     | 1.0          | Pass        |
| Ethoprop(hos)        | ND           | 0.014     | 0.160     | 0.2          | Pass        |
| Etofenprox           | ND           | 0.020     | 0.200     | 0.4          | Pass        |
| Etoxazole            | ND           | 0.011     | 0.100     | 0.2          | Pass        |
| Fenhexamid           | ND           | 0.022     | 0.200     | 1.0          | Pass        |
| Fenoxycarb           | ND           | 0.032     | 0.160     | 0.2          | Pass        |
| Fenpyroximate        | ND           | 0.019     | 0.200     | 0.4          | Pass        |
| Fipronil             | ND           | 0.045     | 0.200     | 0.4          | Pass        |
| Flonicamid           | ND           | 0.058     | 0.200     | 1.0          | Pass        |

Note: Testing limits are based on the limits set forth by the New York Office of Cannabis Management pursuant to 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law.  
ND = Not Detected; LOD = Limit of Detection; LOQ = Limit of Quantitation; ppm = Parts Per Million.

Pesticides Screen [TM-NY-6]

Analyst: JE

Test Date: 7/27/2025 1:03 PM

Table 10 - S25-01281 Peanut Butter Cup 04 CIP Pesticides Testing

| Analyte                 | Result (ppm) | LOD (ppm) | LOQ (ppm) | Limits (ppm) | Disposition |
|-------------------------|--------------|-----------|-----------|--------------|-------------|
| Fludioxonil             | ND           | 0.113     | 0.200     | 0.4          | Pass        |
| Hexythiazox             | ND           | 0.042     | 0.200     | 1.0          | Pass        |
| Imazalil                | ND           | 0.011     | 0.100     | 0.2          | Pass        |
| Imidacloprid            | ND           | 0.020     | 0.200     | 0.4          | Pass        |
| Indole-3-butyric Acid   | ND           | 0.015     | 0.200     | 1.0          | Pass        |
| Kresoxim-methyl         | ND           | 0.038     | 0.200     | 0.4          | Pass        |
| Malathion               | ND           | 0.027     | 0.100     | 0.2          | Pass        |
| Metalaxyl               | ND           | 0.006     | 0.190     | 0.2          | Pass        |
| Methiocarb              | ND           | 0.035     | 0.100     | 0.2          | Pass        |
| Methomyl                | ND           | 0.056     | 0.200     | 0.4          | Pass        |
| Methyl parathion        | ND           | 0.046     | 0.100     | 0.2          | Pass        |
| Mevinphos               | ND           | 0.048     | 0.200     | 1.0          | Pass        |
| MGK-264                 | ND           | 0.014     | 0.100     | 0.2          | Pass        |
| Myclobutanil            | ND           | 0.031     | 0.100     | 0.2          | Pass        |
| Naled                   | ND           | 0.016     | 0.200     | 0.5          | Pass        |
| Oxamyl                  | ND           | 0.046     | 0.200     | 1.0          | Pass        |
| Paclobutrazol           | ND           | 0.033     | 0.200     | 0.4          | Pass        |
| Pentachloronitrobenzene | ND           | 0.037     | 0.200     | 1.0          | Pass        |
| Permethrins, Total      | ND           | 0.038     | 0.100     | 0.2          | Pass        |
| Phosmet                 | ND           | 0.020     | 0.100     | 0.2          | Pass        |
| Piperonyl butoxide      | ND           | 0.010     | 0.200     | 2.0          | Pass        |
| Prallethrin             | ND           | 0.017     | 0.100     | 0.2          | Pass        |
| Propiconazole           | ND           | 0.011     | 0.200     | 0.4          | Pass        |
| Propoxur                | ND           | 0.041     | 0.190     | 0.2          | Pass        |
| Pyrethrins              | ND           | 0.019     | 0.200     | 1.0          | Pass        |
| Pyridaben               | ND           | 0.025     | 0.160     | 0.2          | Pass        |
| Spinetoram, Total       | ND           | 0.034     | 0.200     | 1.0          | Pass        |
| Spinosad, Total         | ND           | 0.033     | 0.100     | 0.2          | Pass        |
| Spiromesifen            | ND           | 0.019     | 0.100     | 0.2          | Pass        |
| Spirotetramat           | ND           | 0.010     | 0.100     | 0.2          | Pass        |
| Spiroxamine             | ND           | 0.018     | 0.100     | 0.2          | Pass        |
| Tebuconazole            | ND           | 0.015     | 0.200     | 0.4          | Pass        |
| Thiacloprid             | ND           | 0.005     | 0.100     | 0.2          | Pass        |
| Thiamethoxam            | ND           | 0.014     | 0.100     | 0.2          | Pass        |
| Trifloxystrobin         | ND           | 0.045     | 0.100     | 0.2          | Pass        |

Note: Testing limits are based on the limits set forth by the New York Office of Cannabis Management pursuant to 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law.  
ND = Not Detected; LOD = Limit of Detection; LOQ = Limit of Quantitation; ppm = Parts Per Million.